



Denmark Civic Centre

Strickland Street, Denmark

Contact shire

PO Box 183, Denmark 6333

T 9848 0300

E denmarkshire@wn.com.au



Main public entrance: centre right of picture Side load-in door obstacle course


General Description

The Shire of Denmark has to be congratulated on continuously up-grading this building...and it is constantly in use by a variety of groups, so much so that I was unable to spend the time needed to measure-up completely.

An undulating ceiling and a massive cork mural behind the seating block has done wonders to improve the acoustics; general consensus scores the sound as good but flat.

There is 32-amp three-phase on stage left with wired bars and patching.

Denmark Civic Centre - floorplan



Touring Tips

The side load-in door is awkward to reverse up to and has a ramp, with rails, which doubles-back on it's self and makes entry of large objects difficult. The alternative option is to use the main entrance, which has four stairs down and a low roof, but the car park is constantly in use. Allow time.

The seating block has to be 7.5 metres away from the stage to allow for emergency exit clearance to the side door. Be aware that your audience are so far away, or hire 1000h staging locally and perform in the void. If you do this, you will have no FOH lx bar...

The hall is being used constantly so check for double-bookings.

There is no air conditioning and can get hot in summer.

If you want to operate from behind the 1500h-seating block then bring a tower.

Interior photos



Photo shows green scenery onstage



Rear corner of auditorium seating

Dimensions

Stage depth	7115
Stage width	9800
Stage height	1090
Stage thrust	1435
Stage floor to ceiling	5020
Stage floor to lx bars	3700
Proscenium width	6670
Proscenium height	3380
Auditorium depth	21250
Auditorium width	12800
Aud floor to ceiling	5200
Aud floor to lx bars	4150* two foh bars on a manual winch-up system

Plan, front elevation, side elevation

Flying facilities

Flying system	Both foh lx bars on manual winches
Masking	Full black-box
Cyclorama	

Lighting facilities

3 phase power and location	Yes. Awaiting details of lx
Operating position (s)	Projection room or mobile/snake
Lighting desk	
Dimmers and location	
Lamp stock	2K followspot in projection room
Wired lighting bars number of circuits and locations	Yes. At least two bars foh and two bars onstage
Patching facilities	60ch onstage patchboard
Alternative onstage lighting positions	Motorised black curtains
Alternative front lighting positions	
Type of ceiling/ Possible fixing points	
Blackout	Yes. Black blinds on windows
Ladders	Yes
Onstage 10amp outlets	Yes
Aud 10amp outlets	Yes
Houselights	Yes
Working lights	Yes

Sound facilities

Operating position (s)	Projection room or rear of auditorium
Sound desk	Awaiting details of sfx
Amplifiers	
Speakers	
Foldback	
Microphones	
Mic stands	
Cd or cassette players	
Sends	6-in, 4—out canon & ¼" Patchboard onstage

Communications

Talk-back	
Telephones	
Internet	

Onstage facilities

Crossover	No. Behind upstage black only.
Wing space	Very tight. 2 metres deep shoulder high mezzanine on stage left.
Treads to foh	One set with handrail
Ladder	Yes
Rostra	Modular stage extensions 3.6m x 6m
Blue worklight	

FOH facilities

Seating	There is a tiered seating block 10800w x 8900d that is heavy but on wheels: currently located 7550 from edge of stage. There are 10 rows of 19 seats with a centre aisle offering a concert style seating capacity of 190. The flat floor in front would accommodate a further 110. A total maximum capacity of 300.
Box office	Yes. At main side entrance
Bar	Yes
Kitchen	Yes
Toilets	Yes
Air conditioning	No
Heating	Yes. Gas on side walls

Backstage facilities

Green room	Yes
Dressing rooms	2
Toilets	Yes
Showers	Yes
Mirrors	Yes

Laundry	
Ironing	Yes, by arrangement

Bump-in access

Access description	The side load-in door is awkward to reverse up to, and has a ramp with rails, which doubles-back on it's self and makes entry of large objects difficult. The alternative option is to use the main entrance, which has four stairs down and a low roof, but the car park is constantly in use. Allow time.
Loading door size	? Just bigger than standard double-door
Exterior lighting	Carpark (security only)
Parking	Public car parks: can be busy
Storage	Green room (by arrangement)

Emergency systems

Smoke alarms	
Sprinkler systems	
Fire extinguishers	Yes
Fire hoses	
Emergency exits	2
Exit signs	3
Medical contact	

Pre-sales

Ticketing system	
Advertising positions	
Posters/banners	
Local publications	Denmark Bulletin 9848 1777
Local radio	
Word of mouth	

Friendly neighbours

Doctor	
Hardware	
Publican	
Newsagent	
People to inform	